NASA Reference Publication 1243

December 1990

Limb-Darkening Functions

as Derived From Along-Track
Operation of the ERBE
Scanning Radiometers
for August 1985

G. Louis Smith;
Natividad D. Manalo,
and Lee M. Avis

(NASA-R9-1243) LIMB-PARKENING TURGIIGNS AS UPI-14UBS
UPRIVED FROM ALONG-TRACK OF RAIIOR OF TR
LRS GCANNING RAPIDMETERS FOR AUBUST 1985
(NASA) 41 D COCE 048 UDCIUS



	Section 1 and 1 an	-		
	in the state of th			
	19 - 19 - 19 - 19 - 19 - 19 - 19 - 19 -			
To plant a region of the statement of th	2 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -			
	<u> 24,</u>	No.		
		88 1.00 10 1.00 10 1.00 10 1.00 10 1.00 10 1.00		
	7 (27) - 12) - 13)	en de plo		
the contract of the contract o	The second secon			
The second secon				
	The second of th			
12 12 12 12 12 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	= 1			
	TO THE MAKEN CONTRACT			
15 M/V				
	en e			
	· · · · · · · · · · · · · · · · · · ·			
PRIME REPORT TO THE PRIME TO TH				
		5 (1200 <u>2)</u> For Dominion		
The second secon				
The second secon				
Approximation of the second se				
	•			

NASA Reference Publication 1243

1990

Limb-Darkening Functions as Derived From Along-Track Operation of the ERBE Scanning Radiometers for August 1985

G. Louis Smith
Langley Research Center
Hampton, Virginia

Natividad D. Manalo Lockheed Engineering & Sciences Company Hampton, Virginia

Lee M. Avis Langley Research Center Hampton Virginia



National Aeronautics and Space Administration Office of Management Scientific and Technical Information Division

Abstract

During August 1985, the scanning radiometers of the Earth Radiation Budget Experiment aboard the Earth Radiation Budget Satellite (ERBS) and the NOAA-9 satellite were operated in along-track scanning models. These data have been analyzed to produce limb-darkening models for Earth-emitted radiation, which relates the radiance in any given direction to the radiant exitance. Limb-darkening models are presented in tabular form and are shown as figures for day and night for each spacecraft. The scene types were computed with measurements within 10° of zenith. The models have values near zenith of 1.02 to 1.09, with values near 1.06 being typical. The typical value of the model is 1.06 for both day and night for ERBS, and the typical value at zenith is 1.06 for day and 1.05 for night for NOAA-9. Mean models are formed for the ERBS and for the NOAA-9 results and are found to differ less than 1 percent, with the ERBS results being the higher. The models vary about 1 percent with latitude near zenith. The present paper is a companion paper to NASA Reference Publication 1214, which reported limb-darkening models derived from January 1985 along-track operation of the scanning radiometer aboard the ERBS.

Introduction

The interpretation of satellite measurements of longwave radiation, which is earth-emitted radiation and in the spectral range 5 to 50 μ m, requires the use of limb-darkening functions. The need for these functions has been recognized from the beginning of studies of outgoing longwave radiation by use of satellites (Wark, Yamamoto, and Lienesch 1962). Longwave radiance from a region decreases with increasing zenith angle of the ray due to the increasing path length through the cooler upper layers of the atmosphere. Limb-darkening functions describe this variation in longwave radiance with zenith angle, and are necessary for relating radiance measurements to radiant exitances from the Earth-atmosphere system. The limb-darkening models used for the analysis of scanning radiometer data from the Earth Radiation Budget Experiment (ERBE) were developed by Taylor and Stowe (1984 and 1986) and were extended by Suttles et al. (1989).

The Earth Radiation Budget Experiment (ERBE) included scanning radiometers on the NOAA-9 and NOAA-10 operational meteorological satellites, which are in Sun-synchronous orbits, and a scanning radiometer aboard a dedicated spacecraft, the Earth Radiation Budget Satellite (ERBS), which is in a precessing orbit with 57° inclination (Barkstrom and Smith 1986). The scanning radiometer aboard the ERBS was rotated in azimuth to scan along track, that is, in the orbit plane, from approximately 1900 hours January 16, 1985, to 2100 hours January 28, 1985. This mode is depicted in figure 1,

which shows that any site along the ground track of the spacecraft is viewed from a number of zenith angles during a single orbital pass. Operation in this manner permits the study of a number of problems of measurement of the radiation field of the Earth. In particular, it provides data for developing a limb-darkening model for a single site over a short period of time rather than by compositing data taken at different times and different locations as is required by the use of most other data sets. The January data were analyzed to produce limb-darkening functions, which have been reported by Smith, Manalo, Suttles, and Walker (1989).

One may expect the limb darkening to change with season due to temperature and humidity changes. The ERBE scanning radiometer aboard the NOAA-9 spacecraft was operated in the along-track scan mode for the period August 3 through 9, 1985, and the scanning radiometer aboard the ERBS spacecraft was operated in the along-track scan mode for August 7 through 14, 1985. The NOAA-9 spacecraft is in a 99° inclination orbit, so that these data provide global coverage. Thus, this data set includes observations over snow and ice. The ERBS data set covers latitudes between 57°N and 57°S. Results from the ERBS data can be compared with those from the January along-track operation; therefore, information is provided about seasonal effects on limbdarkening functions.

This paper presents a set of empirical limb-darkening models which were developed from the along-track data of August 1985. The models are

given both in graphical form and in tables. Models are developed for a variety of scene types discriminated by surface type (ocean, land, snow, desert, and coastal) and cloudiness categories (clear, partly cloudy, mostly cloudy, overcast) for day and night. Models are developed separately for the NOAA-9 and for the ERBS data. Intercomparison of the models validates the models and provides a measure of their consistency and accuracy.

Method

The radiance L leaving the "top of the atmosphere" is related to the radiant exitance (flux) M by the limb-darkening function R:

$$L = \pi^{-1} R M \tag{1}$$

This relation permits one to compute the radiant exitance M from a measurement of radiance L in a single direction if the limb-darkening function R is known. For purposes of data processing, the "top of the atmosphere" is taken to be 30 km above sea level. In this paper, the usual assumption that the outgoing longwave radiation (OLR) is axisymmetric about the vertical is used. The radiant exitance is given in terms of the radiance as

$$M = 2\pi \int_0^{\pi/2} d\theta \sin\theta \cos\theta \ L \tag{2}$$

where θ is the zenith angle of the exiting ray. From these two equations, it follows that R must satisfy the normalization condition

$$2\int_0^{\pi/2} d\theta \sin\theta \cos\theta \ R = 1 \tag{3}$$

As a consequence of this condition, if R>1 near zenith then R<1 toward the limb. This is the case except when limb brightening occurs, in which case R<1 near zenith and R>1 near the limb. This case is encountered for winter polar conditions, where it is caused by temperature inversion in the air.

Defining $z = \cos^2 \theta$, equation (2) can be rewritten as

$$M = \pi \int_0^1 dz \ L \tag{4}$$

For numerical evaluation of data and to assure that for a Lambertian radiator no quadrature error is incurred for numerical integration, equation (4) is approximated by

$$M = \pi \sum_{i} \overline{L}_{i} \ \Delta z_{i} \tag{5}$$

where \overline{L}_i is the average radiance in the *i*th angular bin and

$$\Delta z_i = \cos^2 \theta_i - \cos^2 \theta_{i+1}$$

In order to compute limb-darkening functions from along-track data, the radiant exitance M is computed from the measured radiances L by use of equation (5). The limb-darkening function $R(\theta)$ is then computed from equation (1), which gives

$$R(\theta) = \frac{\pi \ L(\theta)}{M} \tag{6}$$

Method of Implementation

The procedure for partitioning the orbit track into 108-km-long intervals and allocating measurements to each interval is described by Smith et al. (1989). The scene type of an interval is selected based on the pixels, each of which has its scene type defined by the ERBE scene identification algorithm (Wielicki and Green 1989), with viewing zenith angle of less than 10°. If 80 percent of these pixels agree in scene type, then the interval is assigned that scene and is used in the computation of the limb-darkening functions. Identification of the scene type at nadir view eliminates intervals that have large scene-type variations within them.

The limb-darkening models are computed from equation (6). The radiances are averaged in 18 viewing zenith angle bins of 5° each. Data for the two bins for 80° through 90° are not used due to time response of the sensor and field-of-view contamination by space. The mean radiances for these bins are linearly extrapolated from the centers of the two adjacent bins.

The standard deviation of the radiances within each bin is computed, and if the standard deviation exceeds 1.5 percent of the mean radiance for that bin for ERBS data or 2.0 percent of the mean radiance for each bin for NOAA-9 data, the interval is rejected. A reasonable value of the standard deviation is selected and implemented in order to ensure uniform regions and well-behaved limb-darkening models. Although the 1.5-percent threshold was implemented in the formulation of the January limb-darkening models for ERBS, the standard deviation is increased to 2.0 percent for NOAA-9 because the scanner aboard this spacecraft generated noisier data. If the interval is accepted, the radiant exitance is computed from equation (5), and the limb-darkening function is determined by use of equation (6). The limb-darkening functions are averaged for all intervals for each scene type for each latitude band.

Because of the editing requirement that the standard deviation in any viewing zenith angle be less than 1.5 and 2.0 percent for ERBS and NOAA-9, respectively, the sampling error for a given interval is a fraction of a percent. From an examination of results, it was found that 5 intervals are sufficient to define the limb-darkening model to a fraction of a percent. For the January results, Smith et al. (1989) used at least 10 intervals for each model.

Results

Limb-darkening functions have been generated for the ERBE scene identification classes for various latitude zones as listed in tables 1 through 4. The latitude zones, consisting of 18° wide strips starting at the North Pole, are those used for the ERBE inversion calculations. Figure 2 illustrates the local time coverage as a function of latitude for the ERBS and NOAA-9 satellites. Tables 1 and 2 list the number of intervals which were used in the computation of the limb-darkening models for the ERBS for day and night, respectively. No data were taken for zones 1 and 10 since the ERBS is in a 57° inclination orbit and does not make observations poleward of 57° when scanning along track. Thus, the models for latitude zones 2 and 9 are based only upon intervals sampled by ERBS between 54° and 57° and are not representative of the full width of the zone. All scene types are sampled for day and night, with the exception of clear snow. For day and night cases for ERBS, sampling is low for the overcast case.

The NOAA-9 spacecraft provides global coverage. Tables 3 and 4 list the number of intervals that were used in the computation of the NOAA-9 limb-darkening functions. Figure 2 traces the local time coverage of the satellite and shows coverage of latitude zone 1 only during the day and coverage of zone 10 at night only. The present scene identification algorithm is not considered capable of distinguishing between clear snow and overcast over snow scene types. Thus, the snow and overcast over snow scenes may contain mixed measurements of these scene types. This, however, does not cause significant errors due to the similarity of models for these scene types.

The angular sampling for viewing zenith angles 75° to 80° differed for ERBS and NOAA-9. The actual viewing zenith angle in this viewing zenith range is 75.5° for NOAA-9. For NOAA-9, the extrapolation was thus made using 72.5° and 75.5°. It was found that a shift in radiance measurement profile occurs when the ERBS scanner is rotated in azimuth from cross-track to along-track scan mode, which causes the ERBS models to be more limb-darkened than NOAA-9 models. The mean limb-darkening models for ERBS and NOAA-9 are shown in table 5. For viewing zenith angles greater than

70°, the ERBS models are much more limb darkened than the NOAA-9 models. Because of the normalization, limb-darkening models are changed for all viewing zenith angles. In order to compensate for this, an average slope for ERBS and NOAA-9 is computed with the models at viewing zenith angles 65° to 75°. This mean slope is then used to extrapolate the limb-darkening models at viewing zenith angles greater than 70° for each scene type and latitude band. The models are renormalized to produce the results presented here. This slope change for viewing zenith angle greater than 70° was not done for the models presented in NASA RP-1214 (Smith et al. 1989) for January 1985.

The limb-darkening functions for ERBS are shown in figures 3 through 10 for day and figures 11 through 21 for night. These are also tabulated in tables 6 and 7 for numerical reference. The limb-darkening functions for NOAA-9 are shown in figures 22 through 32 for day and figures 33 through 41 for night. These models are presented in tables 8 and 9 for numerical applications.

It is useful to use the zenith value of the limbdarkening function as a measure of limb darkening; increased limb darkening results in the limbdarkening function being increased near zenith due to the normalization condition. For ERBS, the limbdarkening functions for day are in the order of 1.03 to 1.08 at zenith, with 1.06 being typical, whereas the limb-darkening functions for night have values of 1.02 to 1.09 at zenith, with 1.06 being typical. For NOAA-9, the daytime functions range from 1.03 to 1.09 at zenith, with 1.06 being typical. The nighttime limb-darkening functions, with exception of clear snow and overcast scenes at latitudes 54°S to 90°S are on the order of 1.02 to 1.06 at zenith, with 1.05 being typical. Limb-darkening functions of 1.00 to 1.02 were computed for clear snow and overcast at zenith for latitudes 54°S to 90°S. For viewing zenith angle less than 70°, it is observed that latitude generally causes a variation on the order of 1 percent. This variation is especially evident in different cloud cover categories over land. On the other hand, for viewing zenith angles larger than 70°, variation due to latitude is larger. For operation in the cross-track mode, fluxes are not computed for viewing zenith angles larger than 70° for a variety of reasons. For example, the footprint of the pixel on the Earth is too large.

The limb-darkening function for clear snow and overcast scenes for NOAA-9 for night differs from all the other functions for the different scenes. All the intervals that were used for the computation of these models are located in zones 9 and 10, the last two latitude zones in the Southern Hemisphere. All

the intervals that were used for the computation of the overcast models in this region have been identified to be over geographical-type snow. The limb brightening exists in this region probably because of nighttime temperature inversion in the air near the ground. Again, difficulty in discriminating between snow and overcast over snow may have led to mixed measurements between the two scenes. The limb-darkening functions for snow during the day for NOAA-9, sampled at zones 1 and 2, did not show the limb-brightening phenomenon.

For individual scene types, it is seen that the limb-darkening functions for clear, partly cloudy, and overcast over geographical-type ocean have about 1 percent more limb darkening than NOAA-9 models for both day and night. On the other hand, the daytime clear and partly cloudy over land models in the Northern Hemisphere for NOAA-9 are about 2 percent higher than their ERBS counterparts. The opposite is true for clear and partly cloudy over land at night. Coverage of identical scene types at comparable latitude zones but differing local times may contribute to these model differences between the satellites. For the remaining scenes, with the exception of overcast, the limb-darkening models for the ERBS are generally about 1 percent more limb darkened than the corresponding NOAA-9 models.

Because the limb-darkening functions are similar for the different cases, a mean function was formed for the day and one for the night for both satellites by averaging over all scene types and latitude zones without weighting by population. These mean functions are tabulated in table 10 and shown in figure 42. The ERBS mean limb-darkening models have 0.5 percent more limb darkening than the NOAA-9 mean models. For both spacecraft, the difference between the day and night mean models is on the order of 0.5 percent. The mean models for both satellites equal 1.0 at around 55°, as do most of the individual cases. For viewing zenith angle larger than 70°, the ERBS and NOAA-9 limb-darkening functions differ by about 1.5 percent.

A comparison of the limb-darkening models for January 1985 presented by Smith et al. (1989) and the August models indicate that any seasonal effects must be 0.5 percent or less near zenith. For the

typical model, local time causes a 1.0-percent effect near zenith.

Latitudinal effects on the limb-darkening functions are also suggested when considering seasonal changes at or near the polar regions. From the January ERBS data set, the limb-darkening functions presented for clear snow for 36°N to 57°N did not exhibit limb brightening. However, the limb-brightening phenomenon was present for the clear snow models determined from intervals sampled at the South Pole by NOAA-9.

Conclusions

Limb-darkening models have been developed by use of along-track scanning data from a scanning radiometer aboard the ERBS and NOAA-9 spacecraft during August 1985. With this special set of data, it is possible to classify cloudiness of an interval at near nadir in order to eliminate intervals with large scene type variations. The NOAA-9 spacecraft allows for global coverage which provides data for the polar regions, whereas the ERBS spacecraft covers the latitudinal regions between 57°N and 57°S. The limb-darkening models derived from the ERBS spacecraft are about 1 percent higher at zenith than those generated from the NOAA-9 satellite. The typical value of the limb-darkening model at zenith for ERBS is 1.06 during the day and night, whereas the typical model value for day is 1.06 and 1.05 at night for NOAA-9. The latitude causes a variation on the order of 1 percent for viewing zenith angles less than 70°. A comparison of the ERBS limb-darkening functions derived from scanner along-track operation in January 1985 (NASA Reference Publication 1214) with the August 1985 limb-darkening functions show close agreement between the two sets of models. However, the clear snow limb-darkening models for August 1985 showed limb brightening at the South Pole, whereas January 1985 clear snow models did not exhibit limb brightening.

NASA Langley Research Center Hampton, VA 23665-5225 November 2, 1990

References

- Barkstrom, Bruce R.; and Smith, G. Louis 1986: The Earth Radiation Budget Experiment: Science and Implementation. Reviews Geophys., vol. 24, no. 2, May, pp. 379–390.
- Smith, G. Louis; Manalo, Natividad; Suttles, John T.; and Walker, Ira J. 1989: Limb-Darkening Functions as Derived From Along-Track Operation of the ERBE Scanning Radiometer for January 1985. NASA RP-1214.
- Suttles, J. T.; Green, R. N.; Smith, G. L.; Wielicki, B. A.; Walker, I. J.; Taylor, V. R.; and Stowe, L. L. 1989: Angular Radiation Models for Earth-Atmosphere System. Volume II—Longwave Radiation. NASA RP-1184, Vol. II.

- Taylor, V. Ray; and Stowe, Larry L. 1984: Reflectance Characteristics of Uniform Earth and Cloud Surfaces Derived From NIMBUS 7 ERB. J. Geophys. Res., vol. 89, no. D4, June 30, pp. 4987-4996.
- Taylor, V. Ray; and Stowe, Larry L. 1986: Revised Reflectance and Emission Models From Nimbus-7 ERB Data. Sixth Conference on Atmospheric Radiation, American Meteorological Soc., pp. J19 J22.
- Wark, D. Q.; Yamamoto, G.; and Lienesch, J. H. 1962: Methods of Estimating Infrared Flux and Surface Temperature From Meteorological Satellites. J. Atmos. Sci., vol. 19, no. 5, Sept., pp. 369–384.
- Wielicki, Bruce A.; and Green, Richard N. 1989: Cloud Identification for ERBE Radiative Flux Retrieval. J. Appl. Meteorol., vol. 28, no. 11, Nov., pp. 1133–1146.

Table 1. Number of Intervals Used To Develop Limb-Darkening Models for Day for ERBS

			Number of	intervals in	latitude rang	e, deg, of	-	-
Scene ID	72N-54N	54N 36N	36N-18N	18N-0	0-18S	18S 36S	36S 54S	54S-72S
(a)	(zone 2)	(zone 3)	(zone 4)	(zone 5)	(zone 6)	(zone 7)	(zone 8)	(zone 9)
Clear ocean	2	40	135	73	163	174	37	2
Clear land	52	97	14	0	68	64	4	0
Clear snow	0	0	0	0	0	0	Ô	0
Clear desert	0	0	4	0	0	0	0	0
Clear land-ocean	0	13	8	0	0	2	0	0
PC/ocean	0	53	91	96	117	127	155	10
PC/land	27	105	38	19	10	7	0	10
PC/land-ocean	0	4	4	2	3		2	0
MC/ocean	3	107	69	12	70	85	104	48
MC/land	6	11	2	0	0	6	104	40
MC/land-ocean	0	0	0	0	0	2	0	0
Overcast	2	4	0	2	0	3	4	7

^aMC, mostly cloudy; PC, partly cloudy.

Table 2. Number of Intervals Used To Develop Limb-Darkening Models for Night for ERBS

			Number of	intervals in	latitude rang	e, deg, of		
Scene ID	72N-54N	54N-36N	36N 18N	18N-0	0-18S	18S 36S	36S-54S	54S 72S
(a)	(zone 2)	(zone 3)	(zone 4)	(zone 5)	(zone 6)	(zone 7)	(zone 8)	(zone 9)
Clear ocean	8	58	116	46	111	75	15	0
Clear land	14	40	5	2	96	45	0	0
Clear snow	0	0	0	0	0	0	0	0
Clear desert	0	0	100	0	0	5	0	l "
Clear land-ocean	0	13	5	0	0	4	0	0
PC/ocean	3	102	314	144	319	375	190	12
PC/land	95	194	29	9	11	37	0	0
PC/land-ocean	2	7	0	0	0	0	0	0
MC/ocean	115	156	14	18	27	42	213	158
MC/land	29	9	4	0	0	7	4	199
MC/land-ocean	5	3	0	0	0	,	4	0
Overcast	3	0	2	0	0	0	5	13

 $[^]a \rm MC, \, mostly \, cloudy; \, PC, \, partly \, cloudy.$

Table 3. Number of Intervals Used To Develop Limb-Darkening Models for Day for NOAA-9

			Nu	ımber of in	tervals in l	atitude ran	ige, deg, of	=		
Scene ID	90N - 72N	72N-54N	54N-36N	36N-18N	18N-0	0-18S	18S-36S	36S-54S	54S 72S	72S 90S
(a)	(zone 1)	(zone 2)	1	(zone 4)	(zone 5)	(zone 6)	(zone 7)	(zone 8)	(zone 9)	(zone 10
Clear ocean	0	4	43	40	26	98	88	12	0	0
Clear land	3	18	21	2	0	50	54	0	0	0
Clear snow	30	14	0	0	0	0	0	0	0	0
Clear desert	0	0	2	70	0	0	14	0	0	0
Clear land-ocean	0	0	0	2	0	5	0	0	0	0
PC/ocean	0	3	31	126	128	218	261	138	0	0
PC/land	2	78	64	18	14	36	13	3	0	0
PC/land-ocean	0	0	0	0	0	0	0	0	0	0
MC/ocean	156	46	60	21	11	77	55	94	3	0
MC/land	2	42	9	0	2	6	3	0	0	0
MC/land-ocean	5	4	0	0	0	0	0	0	0	0
Overcast	60	20	10	0	5	0	2	3	2	0

^aMC, mostly cloudy; PC, partly cloudy.

Table 4. Number of Intervals Used To Develop Limb-Darkening Models for Night for NOAA-9

			Nı	umber of in	tervals in l	atitude rar	ige, deg, of			
Scene ID	90N-72N	72N-54N	54N-36N	36N-18N	18N-0	0-18S	18S-36S	36S -54S	54S-72S	72S-90S
(a)	(zone 1)	(zone 2)		(zone 4)	(zone 5)	(zone 6)	(zone 7)	(zone 8)	(zone 9)	(zone 10
Clear ocean	0	0	13	23	13	47	16	14	0	0
Clear land	0	6	10	0	0	47	16	0	0	0
Clear snow	0	0	0	0	0	0	0	0	20	35
Clear desert	0	0	6	105	4	0	10	0	0	0
Clear land-ocean	0	0	0	4	0	0	0	0	0	0
PC/ocean	0	0	9	174	185	401	306	66	0	0
PC/land	0	27	34	20	0	88	54	0	0	0
PC/land-ocean	0	0	2	0	0	0	0	0	0	0
MC/ocean	0	0	2	17	36	103	72	31	30	0
MC/land	0	0	0	0	0	5	0	0	0	0
MC/land-ocean	0	0	0	0	0	0	0	0	2	0
Overcast	0	0	0	0	3	0	0 _	5	170	72

^aMC, mostly cloudy; PC, partly cloudy.

Table 5. Preliminary Mean Limb-Darkening Models for August 1985

		Average limb-dark	ening models for	
	EF	RBS	NOA	AA-9
Viewing zenith angle				
range, deg	Day	Night	Day	Night
0.5	1.060	1.057	1.056	1.046
5-10	1.059	1.055	1.055	1.046
10-15	1.057	1.053	1.054	1.046
15 20	1.055	1.052	1.053	1.044
20 – 25	1.054	1.049	1.049	1.042
25-30	1.049	1.046	1.046	1.039
30-35	1.043	1.041	1.042	1.035
35-40	1.036	1.034	1.035	1.030
40-45	1.028	1.027	1.026	1.023
45-50	1.019	1.018	1.016	1.014
50-55	1.006	1.008	1.000	1.000
55-60	0.991	0.993	0.981	0.986
60-65	0.970	0.973	0.961	0.969
65-70	0.944	0.948	0.941	0.951
70-75	0.906	0.913	0.911	0.924
75-80	0.844	0.852	0.874	0.890
80-85	0.783	0.791	0.828	0.844
85-90	0.721	0.731	0.783	0.844 0.801

Table 6. Limb-Darkening Models for Day for ERBS

							Lim	b-darke	ning mo	odel for								
						\	liewing	zenith a	ingle ra	inge, de	eg, of							
Scene ID		0	10.15	15 90	20-25	25 30	30-35	35 40	40 45	45 50	50-55	55-60	60 65	65 7 0	70 75	75 80	80 85	35 <u>9</u> 0
(a)	0-5	5-10	10-15	15 -20	20-23			72°N 5										
										1 010	000	000	.969	.946	.912	.878	.844	.810
Clear ocean	1.056	1.053	i	1.050	1.050	1.046	1.039		1.023	1.010	.993 1.002	.986	.970	.948	.914	.880	.846	.812
Clean land	1.051	1.050	1.048	1.047	1.046	1.042	1.036	1.029	1.022	1.014	l	.989	.973	.950	.916	.882	.848	.814
PC/land	1.048	1.047	1.046	1.044	1.043	1.040	1.034	1.028	1.022	1.014	1.004	.990	.967	.947	.913	.879	.845	.811
MC/ocean	1.054	1.050	1.047	1.046	1.044	1.039	1.035	1.027	1.021	1.020	1.004	.990	.972	.950	.916	.882	.848	.813
MC/land	1.054	1.051	1.049	1.046	1.044	1.041	1.034	1.027	1.021	l	1.003	.995	.972	.961	.927	.893	.858	.824
Overcast	1.032	1.033	1.035	1.032	1.033	1.034	1.030	1.024	1.019	1.018	1.011	.550	.512	.501	.0			
						La	atitude:	54°N 3	86°N 									
Clear ocean	1.056	1.056	1.054	1.052	1.050	1.046	1.040	1.032	1.023	1.015	1.002	.987	.966	.938	.904	.870	.836	.803
Clear land	1.053	1.052	1.050	1.049	1.047	1.043	1.037	1.030	1.023	1.014	1.003	.989	.970	.943	.909	.875	.841	.808
Clear land-ocean	1.051	1.050	1.048	1.047	1.046	1.041	1.035	1.029	1.022	1.014	1.003	.990	.970	.946	.912	.879	.845	.811
PC/ocean	1.054	1.052	1.051	1.049	1.048	1.043	1.037	1.030	1.022	1.014	1.002	.988	.969	.943	.910	.876	.842	
PC/land	1.056	1.055	1.053	1.052	1.050	1.045	1.039	1.032	1.024	1.014	1.002	.988	.967	.940	.906	.872	.839	.805
PC/land-ocean	1.054	1.054	1.051	1.050	1.047	1.043	1.037	1.031	1.021	1.014	1.002	.989	.971	.944	.910	.876	.842	Į.
MC/ocean	1.048	1.047	1.046	1.044	1.044	1.040	1.034	1.028	1.021	1.014	1.003	.991	.973	.949	.915	.882	.848	.814
MC/land	1.044	1.044	1.043	1.042	1.041	1.036	1.031	1.026	1.020	1.014	1.004	.992	.976	.955	.921	.887	.853	.830
Overcast	1.034	1.034	1.033	1.032	1.032	1.030	1.026	1.022	1.020	1.015	1.007	.996	.982	.966	.932	.898	.864	.030
						L	atitude	: 36°N	18°N									
CI.	1.060	1.059	1.057	1.055	1.053	1.048	1.042	1.034	1.025	1.015	1.001	.986	.963	.934	.900	.867	.833	.799
Clear ocean	1.064	1.063	1.061	1.058	1.056	1.051	1.043	1.035	1.027	1.015	1.001	.983	.959	.930	.896	.863	.829	.795
Clear land Clear desert	1.059	1.058	1.057	1.054	1.053	1.047	1.040	1.033	1.024	1.015	1.001	.985	.964	.938	.904	.870	.836	.802
Clear desert	1	1.054	1.052	1.051	1.049	1.045	1.039	1.033	1.025	1.017	1.004	.988	.967	.937	1	.870	.836	.802
PC/ocean	1.062	1.061	1.059	1.057	1.055	1.050	1.043	1.035	1.025	1.015	1.001	.985	.962	.932	1	.865	.831	.79
PC/land	1.065	1.064	1.063	1.061	1.058	1.053	1.046	1.037	1.027	1.015	1.001	.984	.958	.926	1	.859	.825	.79
PC/ocean-land	1.064	1.064	1.060	1.059	1.057	1.051	1.044	1.035	1.025	1.014	1.000	.985	1	.929		.862	.828	
MC/ocean	1.050	1.050	1.048	1.047	1.045	1.041	1.036	1.029	1.022	1.014	1.033	.990	.972	.947		.879	.846	1
MC/ocean MC/land	1.074	1.073	1.071	1.070		1.057	1.048	1.042	1.032	1.016	.997	.980	.951	.916	.882	.848	.814	.78
NIC/Ialid	1.0	1	L				Latitue	ie: 18° l	1 · 0°									
		T	1	1.050	11050	1.05				1.016	5 1.001	1 .984	.960	.929	.896	.862	.828	.79
Clear ocean	1	1.062		!		1					1		1	.931	.897	.863	.829	.79
PC/ocean	1.063	1	ì		ļ	i	1	1	Į.	l	- 1	l.		.914	.881	.847	.813	.77
PC/land	1.077		1	i	1		1	Į.	i	l l	- 1	i		.913	.880	.846	.812	.77
PC/land-ocean	1.078				1				1	1		1				.876	.842	.80
MC/ocean	1.051					1				- 1			ł	.939	905.	.871	.837	.80
Overcast	1.057	1.056	1.055	1.05	1.04	1.04		de: 0°										
				_							0 100	2 000	2 00	1 .93	5 .901	.868	3 .834	1 .80
Clear ocean	1.05	7 1.056		- 1		1	1	1				1	1	i		1		
Clear land	1.070	1.068	3 1.066		l l		1	1		i	- 1		1	- 1	1	i	- 1	
PC/ocean	1.058	1	1								1		- 1	- 1		1	i i	
PC/land	1.06	3 1.062	2 1.061				Į.		1		1	1			1		1	1
PC/land-ocean	1.07	7 1.076	6 1.073	1			1		1	- 1		ľ	i	- 1				1
MC/ocean	1.05	1 1.050	0 1.048	3 1.04	7 1.04	6 1.04	2 1.03	6 1.02	9 1.02	2 1.01	4 1.00	.98	9 .97	1 .94	.51	1.010	1.01	-1.0

^aMC, mostly cloudy; PC, partly cloudy.

Table 6. Concluded

							Lir	nb-dark	ening n	nodel fo	r							
							Viewing	zenith	angle :	range, d	eg, of				_			
Scene ID							_					Γ			Ţ	T	<u> </u>	T
(a)	0.5	5 10	10 15	15 20	20 25	25 30	30 35	35 40	40 45	45 50	50 55	55 60	60-65	65-70	70 75	75 80	80 85	85 9
					-	L	atitude	: 18°S	36°S		'		1	L	<u> </u>			1
Clear ocean	1.056	1.055	1.054	1.052	1.050	1.046	1.040	1.033	1.024	1.016	1.002	.986	.966	.937	.903	.869	.836	.802
Clear land	1.065	1.065	1.063	1.060	1.058	1.052	1.045	1.036	1.027	1.016	1.000	.982	.958	.927	.893	.859	.826	.792
Clear land-ocean	1.061	1.060	1.060	1.059	1.056	1.052	1.044	1.034	1.028	1.016	1.002	.982	.959	.929	.896	.862	.828	.794
PC/ocean	1.056	1.055	1.053	1.051	1.050	1.045	1.039	1.032	1.024	1.016	1.002	.986	.967	.939	.906	.872	.838	.804
PC/land	1.056	1.056	1.053	1.052	1.050	1.046	1.040	1.032	1.023	1.015	1.002	.987	.965	.938	.905	.871	.837	.803
MC/ocean	1.046	1.046	1.044	1.043	1.042	1.038	1.034	1.028	1.021	1.014	1.003	.991	.975	.952	.918	.884	.850	.817
MC/land	1.040	1.039	1.038	1.036	1.036	1.034	1.029	1.025	1.019	1.014	1.005	.995	.979	.960	.926	.892	.859	.825
MC/land-ocean	1.031	1.032	1.029	1.028	1.029	1.027	1.026	1.021	1.018	1.016	1.010	.999	.998	.963	.930	.896	.862	.828
Overcast	1.035	1.036	1.035	1.033	1.032	1.030	1.028	1.024	1.020	1.013	1.003	.994	.980	.966	.932	.899	.865	.831
						La	atitude:	36°S 5	54°S	·				L	L		ı <u> </u>	1
Clear ocean	1.057	1.057	1.055	1.053	1.052	1.047	1.042	1.034	1.026	1.017	1.002	.986	.964	.933	.899	.865	.832	.798
Clear land	1.060	1.059	1.057	1.056	1.053	1.049	1.042	1.034	1.026	1.017	1.002	.985	.959	.933	.899	.865	.831	.797
PC/ocean	1.056	1.056	1.054	1.052	1.050	1.046	1.039	1.032	1.024	1.015	1.002	.986	.966	.938	.904	.870	.837	.803
PC/land-ocean	1.064	1.064	1.062	1.059	1.056	1.050	1.043	1.035	1.025	1.014	1.000	.985	.964	.929	895	.862	.828	.794
MC/ocean	1.048	1.047	1.046	1.045	1.044	1.039	1.034	1.028	1.021	1.014	1.002	.989	.973	.950	.916	.882	.848	.815
Overcast	1.038	1.039	1.037	1.036	1.037	1.034	1.030	1.025	1.020	1.012	1.002	.993	.981	.961	.927	.893	.859	.826
						La	titude:	54°S 7	'2°S	-,			1					
Clear ocean	1.055	1.056	1.056	1.054	1.053	1.048	1.041	1.033	1.024	1.014	1.001	.985	.959	.938	.905	.871	.838	.804
PC/ocean	1.059	1.057	1.055	1.053	1.052	1.048	1.042	1.033	1.024	1.015	.999	.982	.961	.939	.905	.872	.838	.804
MC/ocean	1.051	1.050	1.048	1.047	1.046	1.042	1.037	1.029	1.022	- 1	1.002	.987	.969	.946	.913	.879	.845	.804
Overcast	1.049	1.048	1.045	1.045	1.045	1.040	1.035	1.026	1.019		1.002	.986	.968	.956	.922	.888	.855	.821

 $[^]a\mathrm{MC},$ mostly cloudy; PC, partly cloudy.

Table 7. Limb-Darkening Models for Night for ERBS

							Lim	b-darkei	ning mo	odel for								
						\	Viewing	zenith a	ingle ra	inge, de	eg, of							
Scene ID								05.40	40.45	45 50	50 55	55 606	so 65 6	65. 70	70 75 7	75 80 8	80 85 8	35-90
(a)	0 5	5 10	10 15	15 20	20 25		30- 35			40 00	30 33	33 00	001	00 10		9 3 7 1	1	
						La	ititude:	72°N 5	4°N					т				
Clear ocean	1.058	1.057	1.056	1.054	1.052	1.048	1.044	1.037	1.032	1.024	1.012	.996	.979	.951	.915	- 1	.797	.738 .800
Clean land	1.048	1.047	1.046	1.045	1.042	1.039	1.034	1.028	1.022	1.014	1.005	.991	.974	.951	.920	.880	840	
PC/ocean	1.060	1.057	1.055	1.054	1.051	1.048	1.045	1.037	1.029	1.020	1.011	.996	.978	.954	.918	.874	.829	.78
PC/land	1.045	1.043	1.042	1.041	1.039	1.036	1.032	1.026	1.021	1.014	1.006	.994	.979	.958	.931	.888	.844	.80
PC/land-ocean	1.056	1.055	1.052	1.050	1.048	1.045	1.040	1.032	1.025	1.017	1.005	.992	.973	.947	.911	.855	.799	.74
MC/ocean	1.048	1.047	1.045	1.044	1.042	1.039	1.035	1.029	1.023	1.016	1.007	.994	.978	.956	.927	.883	.839	.79
MC/land	1.042	1.040	1.038	1.038	1.036	1.033	1.029	1.023	1.019	1.012	1.005	.994	.981	.961	.935	.891	.846	.80
MC/land-ocean	1.049	1.046	1.044	1.042	1.041	1.037	1.033	1.027	1.021	1.013	1.004	.990	.973	.952	.925	.887	.849	.81
Overcast	1.017	1.016	1.017	1.016	1.014	1.014	1.011	1.008	1.004	.999	.999	.990	.983	.979	.979	.982	.985	.98
Overeast						L	atitude:	54°N 3	6°N									
	1.001	1.000	1.000	1.059	1.056	1.052	1.046	1.039	1.031	1.021	1.009	.992	.969	.939	.900	.831	.763	.69
Clear ocean	1.064	1.062	1.060 1.054	1.059	1.050	1.032	1.040	1.034	1.028	1.019	1.008	.993	.973	.947	.911	.839	.767	.69
Clear land	1.058	1.056			1.051	1.048	1.043	1.037	1.029	1.019	1.007	.991	.970	.942	.905	.837	.769	.70
Clear land-ocean	1.060	1.059	1.057	1.056	1.052	1.051	1.046	1.038	1.031	1.021	1.008	.991	.970	.940	.901	.838	.775	.71
PC/ocean	1.063	1.062	1.059	1.058		1.037	1.040	1.035	1.029	1.020		.994	.975	.948	.911	.844	.778	.71
PC/land	1.057	1.055	1.054	1.053	1.050	1.047	1.042	1.039	1.023	1.023	1.011	.997	.979	.952	.913	.855	.798	.74
PC/land-ocean	1.059	1.057	1.057	1.056	1.054	1.030	1.040	1.036	1.029	1.020	1	.994	.974	.947	.911	.845	.780	.71
MC/ocean	1.058	1.056	1.054	1.053	1.051		1.042	1.031	1.024	1.017	1.007	.995	.977	.953	.921	.861	.801	.74
MC/land	1.049	1.048	1.045	1.045	1.044	1.041	1.035	1.037	1.031	1.019	}	.991	967	.938	.903	.835	.768	.70
MC/land-ocean	1.061	1.060	1.058	1.056	1.053		1	: 36°N		1.010			ــــــــــــــــــــــــــــــــــــــ					
		_						,		T - 000	1.000	T 001	.969	.939	.899	.834	.768	1.70
Clear ocean	1.068	1.066	1.064	1.063	1.060	1.055		1.041	1.033	1.023		.991	.968	.939	.900	.840	.780	.71
Clear land	1.061	1.060	1.058	1.056	1.053	1.049	1		1.029	I	Į.	1	.908	.946	.909	.841	.772	.70
Clear desert	1.059	1.058	1.056	1.055	1.051	1.047	1		1.028	1.019	1		.973	.940	.900	.835	.771	.70
Clear land-ocean	1.062	1.059	1.058	1.057	1.053	1.049		1	1.030		ì			.938	.898	.833	.768	7
PC/ocean	1.067	1.065	1.063	1.062	1.058	1.054	l l		1.032		1		1	1	1	.823	.752	6
PC/land	1.070	1.068	1.067	1.065	1.061	1.057	1		1.035		1	1	.968	1	1	.847	.780	
MC/ocean	1.055	1.054	1.052	1.051	1.048	1.044	1	1	1.026		1	l l	1	1	-	.851	.786	7
MC/land	1.049			1.047		1			1.026		i i	1	1			1	.869	
Overcast	1.038	1.037	1.038	1.035	1.033	1.033		1.021		1.009	1.001	.992	.974	.905	.940	.501	1.000	1.0
							Latitud	le: 18°N	1 0°								, -	
Clara sasan	1.067	1.065	1.063	1.062	1.058	1.054	1 1.047	1.039	1.031	1.020	0 1.007	7 .989	.967	.937	.897	.828		-
Clear ocean	1.007	1		1		1		1			1 1.013	.994	.964	.924	.877	1		- 1
Clear land	1.090	1	1	l l		1					1	.990	.965	.933	.890	.821		1
PC/ocean	1.071	Į.	1								6 1.01	.991	.963	.927	.879	.796	1	- 1
PC/land	1.079		Į.	ł			1	- 1			0 1.00	.995	.976	.952	.919	.852	.784	.7
MC/ocean	1.055	1.004	1.000	1.00	1.01			de: 0°				-						
					- T					1 1.02	1 1.00	9 .992	.970	.940	.901	.828	.755	5 .6
Clear ocean	1.064			1	i	ļ.	1				1		1	ļ		- 1	1	
Clear land	1.059		1			1		1			1	1	i		I.	1		- 1
PC/ocean	1.063			i i							1	i	1	- 1	- 1	1	i	- 1
PC/land	1.062	2 1.061	1.059		1		- 1	i i			l l	1	1	- 1	1	1	- 1	1
MC/ocean	1.056	$6 \mid 1.055$	5 1.053	3 1.05	2 1.05	0 1.04	5 1.04	1 1.034	1.02	7 1.01	0 1.00	.99.		.,,,40	1.000	1.010		

 a MC, mostly cloudy; PC, partly cloudy.

Table 7. Concluded

							Lir	nb-dark	ening n	nodel fo	or-							
					-		Viewing	g zenith	angle i	range, d	leg, of							
Scene ID			Ţ				T -			T -	T -	Т	_	Τ-	_	1	T	
(a)	0.5	5 10	10 15	15 20	20 25	25 30	30-35	35 40	40-45	45 50	50-55	55 60	60 65	65 70	 70-7!	75.80	180-85	85 0
						L	atitude			<u>. </u>			1	100 10	110 10	710 00	700 00	100 3
Clear ocean	1.062	1.060	1.058	1.057	1.054	1.050	1.045	1.037	1.030	1.021	1.009	.994	.972	.945	.907	.836	.766	.695
Clear land	1.050	1.048	1.047	1.046	1.044	1.041	1.036	1.031	1.025	1.018	1.010	.998	.980	.957	.923	.847	.771	.696
Clear desert	1.043	1.043	1.042	1.040	1.038	1.035	1.030	1.024	1.019	1.013	1.005	.995	.977	.956	.924	.889	.853	.817
Clear land-ocean	1.061	1.059	1.057	1.056	1.053	1.048	1.042	1.035	1.028	1.019	1.008	.992	.972	.947	.910	.834	.758	.682
PC/ocean	1.060	1.058	1.057	1.056	1.053	1.049	1.044	1.037	1.030	1.020	1.009	.993	.973	.945	.907	.833	.758	.684
PC/land	1.051	1.050	1.048	1.047	1.045	1.042	1.037	1.031	1.025	1.018	1.009	.996	.979	.958	.925	.852	.780	.707
MC/ocean	1.052	1.051	1.049	1.048	1.046	1.042	1.038	1.031	1.026	1.018	1.009	.997	.979	.957	.925	.851	.778	
MC/land	1.052	1.050	1.049	1.048	1.045	1.042	1.038	1.033	1.027	1.018	1.009	.996	.978	.957	.925	.842	.758	.704
						La	atitude:	36°S 5	64°S	<u> </u>		1				.012		.014
Clear ocean	1.063	1.062	1.060	1.059	1.056	1.052	1.047	1.039	1.032	1.022	1.009	.991	.968	.935	.890	.826	700	
PC/land	1.062	1.060	1.058	1.057	1.054	1.050	1.045	1.038	1.031	1.021	1.010	.993	.971	.935	.902		.762	.697
MC/ocean	1.055	1.053	1.051	1.050	1.048	1.044	1.039	1.032	1.026	1.018	1.008	.993	.973	.942	.902	.833	.763	.693
MC/land	1.048	1.046	1.044	1.045	1.042	1.039	1.035	1.030	1.025	1.018	1.009	.998	.982	.958	.915	.860	.804	.748
Overcast	1.048	1.045	1.044	1.043	1.041	1.037	1.033	1.026	1.021	1.011	1.003	.993	.976	.957	.924	.852 .880	.781 .830	.709 .779
						La	titude:	54°S-7	2°S			1			.001	.000	.000	.119
PC/ocean	1.052	1.050	1.049	1.049	1.046	1.042	1.037	1.030	1.024	1.015	1.005	.992	.972	.947	.916	.867	.817	700
MC/ocean	1.050	1.048	1.046	1.046	1.043	1.040	1		1.023		1.006	.993	.975	.953	.921	.875		.768
Overcast	1.040	1.037	1.036	1.037	1.035	1.032	ı		1.018	1.010	1.004	.995	.981	.963	.940	.910	.829	.782 .852

^aMC, mostly cloudy; PC, partly cloudy.

Table 8. Limb-Darkening Models for Day for NOAA-9

	•		-	-			Lim	b-darke	ning m	odel for					.			
	<u> </u>					1	liewing	zenith :	angle ra	nge, de	eg, of	, - ,					·	
Scene ID				15.00	00.05	95 20	30 35	35 40	40 45	45 50	50 55	55 60	60-65	65 70	70 75	75 80	80-85	85 9
(a)	0-5	5 10	10 15	15-20	20 25	25 30				40 00		00 00						
						La	titude:	90°N 7	'2°N					T		0.0	000	
Clear land	1.056	1.055	1.054	1.053	1.050	1.047	1.043	1.037	1.029	1.019	1.004	.983	.959	.935	.901	.867 .916	.833	.79 .84
Clean snow	1.025	1.024	1.025	1.025	1.023	1.022	1.021	1.018	1.015	1.011	1.004	.995	.988	.985		.871	.837	.80
PC/land	1.061	1.060	1.058	1.056	1.053	1.048	1.042	1.034	1.026	1.015	.999	.978	.958	.938	.904	.895	.861	.82
MC/ocean	1.040	1.039	1.039	1.038	1.036	1.033	1.031	1.026	1.021	1.013	1.002	.988	.974	.963	.929		.853	.81
MC/land	1.055	1.055	1.054	1.051	1.047	1.042	1.038	1.031	1.021	1.010	.994	.978	.965	.955	.921	.887	.855	.82
MC/land-ocean	1.041	1.042	1.041	1.040	1.037	1.034	1.032	1.028	1.022	1.014	1.003	.988	.972	.957	.923	.889	İ	.83
Overcast	1.035	1.035	1.035	1.034	1.032	1.029	1.027	1.023	1.018	1.011	1.001	.989	.979	.973	.939	.905	.870	.63
						La	atitude:	72°N 5	54°N									
Clear ocean	1.039	1.039	1.038	1.037	1.036	1.035	1.034	1.031	1.026	1.018	1.006	.990	.973	.951	.917	.883	.849	.81
Clear land	1.068	1.067	1.066	1.064	1.059	1.054	1.048	1.040	1.030	1.017	1.000	.979	.952	.922	.889	.855	.821	.78
	1.039	1.038	1.038	1.037	1.036	1.033	1.031	1.026	1.020	1.013	1.001	.989	.977	.965	.931	.897	.863	.82
Clear snow	1.059	1.058	1.058	1.057	1.054	1.050	1.046	1.040	1.032	1.021	1.005	.981	.953	.925	.891	.857	.823	.78
PC/ocean	1.059	1.058	1.058	1.056	1.053	1.049	1.044	1.037	1.028	1.016	1.000	.980	.958	.936	.902	.868	.834	.80
PC/land	1.046	1.035	1.045	1.044	1.041	1.037	1.034	1.029	1.023	1.014	1.002	.987	.970	.954	.920	.886	.852	.8:
MC/ocean	1.040	1.048	1.048	1.047	1.044	1.041	1.038	1.031	1.023	1.013	.999	.982	.966	.951	.917	.883	.849	.8
MC/land	1.049	1.040	1.040	1.038	1.035	1.034	1.031	1.026	1.020	1.012	1.001	.987	.975	.964	.930	.896	.862	.83
MC/land-ocean	1.040	1.040	1.037	1.036	1.034	1.031	1.029	1.024	1.019	1.011	1.001	.988	.977	.968	.934	.900	.866	.8
Overcast	1.036	1.037	1.001	1.000	1.001		atitude:		36°N	1		<u> </u>	J					
		т			1		·		1.030	1.020	1.005	.984	.958	.929	.895	.861	.828	79
Clear ocean	1.056	1.055	1.055	1.054	1.051	1.048	1.044	1.038	1.034	1.020	1.000	.973	.940	.905		.837	.803	.7
Clear land	1.081	1.080	1.078	1.074	1.070	1.063	1.056	1.047	1.034	1.019	.998	.975	.948	.921		.853	.819	.7
Clear desert	1.074	1.074	1.071	1.067	1.062	1.056	1.050	1.041	1.030	1.010	1.003		.962	.936			.834	.8
PC/ocean	1.056	1.055	1.055	1.053	1.050	1.046	1.042	1.036	1.027	1.017	1.003	.979	.954	.929		.861	.827	.7
PC/land	1.064	1.063	1.062	1.060	1.056	1.051	1.046	1.038	1.029	1.017	1.001		.967	.948				.8
MC/ocean	1.047	1.047	1.047	1.046	1.043	1.040	1.036	1.030	1	1.013	.999		.971	.959		.891	.857	
MC/land	1.045	1.044	1.044	1.043	1.040	1.037	1.034	1.028	1.021	L	1.003		.979	1	1			
Overcast	1.035	1.036	1.037	1.037	1.034	1.031	1.028	1.024	1.018	1.011	1.003	.991	.313	.301		1.000	1.000	1.~
						L	atitude:	36°N	18°N						1	T	1 000	
Clear ocean	1.055	1.055	1.054	1.053	1.050	1.047	1.043	1.037	1.028	1.017	1		.961	1	1		1	
Clear land	1.087	1.086	1.084	1.080	1.075	1.068	1.060	1.049	1.038	1.022	1	1	1			i i	i	
Clear desert	1.071	1.070	1.068	1.065	1.061	1.055	1.049	1.040	1.029			1	1				1	
Clear land-ocean	1.042	1.041	1.041	1.039	1.038	1.036	1.034	1.030	1.023	1	1	1			- 1			
PC/ocean	1.056	1.056	1.055	1.054	1.051	1.047	1.043	1.036	1.027	1.016				1	- 1	- 1		
PC/land	1.081	1.080	1.079	1.075	1.070	1.063	1.056	1.046	1.033	1.017		- 1					1	
MC/ocean	1.044	1.043	1.043	1.042	1.039	1.037	1.034	1.029	1.023	1.014	1.002	.988	.973	.956	.922	.888	.854	8.
	1						Latitud	e: 18°N	1-0°									
Clear organ	1.060	1.059	1.058	1.057	1.054	1.050		1.038		1.017	1.000	.980	.957	.93	.897	.863	.829) .7
Clear ocean	1.060	1						1.038			1.003	.981	.957	.929	.895 6	.861	.827	7 .7
PC/ocean								1.047		1			1	.91	.877	.843	.810) .7
PC/land	1.083								1	İ	1	6 .977	.957	7 .939	905.	.871	.837	7 .8
MC/ocean	1.060								l		1			.940	6 .912	.878	.844	1 .8
MC/land	1.002	1.045	1			1		i	1	1	1	3 .985	.965	$\begin{bmatrix} .94 \end{bmatrix}$.91	877. ا ا	.843	3 .8

 $[^]a$ MC, mostly cloudy; PC, partly cloudy.

Table 8. Concluded

							Li	mb-darl	ening 1	nodel fo	or							
				*****			Viewin	g zenith	angle	range, o	leg, of							~
Scene ID								Ī					Γ				Γ	Ι
(a)	0.5	5 10	10-15	15 20	20-25	25 30	30 35	35 40	40-45	45-50	50-55	55 -60	60 65	65 70	70-75	75-80	80-85	85 90
							Latitud	le: 0° 1	8°S						·			
Clear ocean	1.056	1.056	1.055	1.053	1.050	1.046	1.042	1.036	1.027	1.016	1.000	.981	.960	.937	.904	.870	.836	.802
Clear land	1.068	1.067	1.066	1.063	1.059	1.054	1.048	1.040	1.031	1.018	1.000	.978	.952	.923	.889	.856	.822	.788
Clear land-ocean	1.054	1.053	1.053	1.051	1.047	1.043	1.039	1.033	1.025	1.015	1.000	.983	.965	.945	.911	.877	.843	.809
PC/ocean	1.057	1.056	1.055	1.054	1.050	1.046	1.042	1.035	1.027	1.016	1.000	.980	.960	.938	.904	.870	.836	.802
PC/land	1.058	1.058	1.058	1.056	1.053	1.049	1.044	1.037	1.029	1.017	1.000	980	.958	.935	.901	.867	.833	.799
MC/ocean	1.044	1.043	1.043	1.042	1.040	1.037	1.035	1.030	1.024	1.016	1.003	.988	.972	.954	.920	.886	.852	.818
MC/land	1.040	1.039	1.039	1.040	1.040	1.038	1.036	1.031	1.024	1.015	1.001	.984	.968	.955	.921	.887	.853	.819
						L	atitude	: 18°S-	36°S	•		<u> </u>				L.		
Clear ocean	1.052	1.051	1.051	1.049	1.046	1.042	1.038	1.032	1.024	1.014	.999	.982	.964	.948	.914	.880	.846	.812
Clear land	1.060	1.059	1.058	1.056	1.052	1.048	1.043	.0136	1.027	1.015	.999	.980	.959	.937	.903	.869	.835	.801
Clear desert	1.060	1.060	1.059	1.056	1.052	1.047	1.042	1.035	1.025	1.014	.998	.979	.959	.940	.906	.872	.838	.804
PC/ocean	1.051	1.051	1.050	1.049	1.045	1.042	1.038	1.032	1.024	1.014	.999	.981	.964	.948	.914	.880	.846	.812
PC/land	1.056	1.056	1.056	1.054	1.049	1.045	1.040	1.034	1.026	1.014	.998	.980	.962	.943	.909	.876	.842	.808
MC/ocean	1.044	1.043	1.043	1.041	1.039	1.036	1.033	1.027	1.021	1.012	999	.986	.973	.961	.927	.893	.859	.825
MC/land	1.044	1.043	1.043	1.042	1.039	1.036	1.033	1.027	1.020	1.012	.999	.985	.972	.960	.926	.892	858	.824
Overcast	1.038	1.042	1.044	1.046	1.043	1.038	1.030	1.024	1.017	1.007	.995	984	.975	.966	.932	.898	.864	.830
						L	atitude:	36°S	54°S									
Clear ocean	1.055	1.055	1.054	1.052	1.049	1.045	1.042	1.036	1.029	1.018	1.002	.982	.959	.937	.903	.869	.835	.801
PC/ocean	1.055	1.054	1.054	1.052	1.048	1.044	1.041	1.034	1.026	1.015	.998	.980	.962	.945	.911	.877	.843	.809
PC/land	1.032	1.032	1.032	1.031	1.029	1.028	1.028	1.024	1.020	1.013	1.001	.989	.979	.971	.937	.903	.870	.836
MC/ocean	1.043	1.042	1.042	1.041	1.038	1.035	1.032	1.027	1.020	1.012	.999	.985	.972	.964	.930	.896	.862	.827
Overcast	1.031	1.030	1.029	1.028	1.024	1.021	1.018	1.011	1.003	.992	.978	.974	.990	1.022	.988	.953	.918	.884
						L	atitude:	54°S-7	72°S	, A	l				1			
MC/ocean	1.055	1.054	1.054	1.054	1.051	1.049	1.046	1.040	1.033	1.022	1.001	.980	.955	.931	.897	863	.829	.795
Overcast	1.047	1.048	1.047	1.047	1.042	1.040	1.036	1.030	1.023	1.011	.996	.980	.966	.959	.925	.891	.857	.822

^aMC, mostly cloudy; PC, partly cloudy.

Table 9. Limb-Darkening Models for Night for NOAA-9

							Lim	b-darke	ning m	odel for								_
			-			1	iewing	zenith a	angle ra	ange, de	eg. of							
Scene ID												00	00 CF	CF 70	70. 75	75 90	en es	85 Q
(a)	0.5	5 10	10 15	15 2 0	20 25		30 35			45 50	50 55	55 60	60 65	69 70	10 19	15 60	60 69	
						La	titude:	72°N 5	4°N									
Clear land	1.048	1.046	1.044	1.042	1.039	1.035	1.033	1.027	1.020	1.012	1.000	.986	.972	.959	.928	.896	.865	.83
PC/land	1.035	1.035	1.036	1.037	1.036	1.034	1.032	1.027	1.022	1.015	1.003	.989	.973	.959	.928	.896	.865	.83
						La	titude:	54°N 3	6°N									
Clear ocean	1.055	1.054	1.054	1.053	1.050	1.047	1.042	1.035	1.027	1.016	1.001	.983	.962	.933	.902	.871	.840	.80
Clear land	1.046	1.046	1.045	1.044	1.041	1.037	1.033	1.027	1.021	1.013	1.001	.987	.972	.953	.922	.891	.860	.82
Clear desert	1.035	1.035	1.035	1.035	1.032	1.029	1.027	1.022	1.017	1.009	.998	.987	.979	.971	.940	.909	.878	84
PC/ocean	1.044	1.044	1.044	1.042	1.040	1.036	1.033	1.027	1.020	1.012	.999	.985	.970	.957	.926	.895	.864	.83
PC/land	1.044	1.044	1.044	1.043	1.040	1.036	1.032	1.027	1.020	1.012	1.000	.986	.972	.958	.927	.896	.865	.83
PC/land-ocean	1.041	1.041	1.041	1.040	1.038	1.036	1.033	1.029	1.022	1.014	1.002	.987	.971	.956	.925	.894	.863	.83
MC/ocean	1.044	1.043	1.042	1.041	1.039	1.035	1.032	1.027	1.022	1.014	1.004	.992	.974	.950	.919	.888	.857	.82
mo _f occim						La	stitude:	36°N	18°N									
Clear ocean	1.055	1.054	1.053	1.052	1.048	1.044	1.040	1.033	1.025	1.015	1.000	.982	.963	.941	.910	.879	.848	.81
	1.048	1.047	1.047	1.045	1.042	1.038	1.035	1.029	1.022	1.013	1.000	.985	969	.950	.919	.888	.857	.82
Clear desert	1.043	1.045	1.044	1.043	1.040	1.037	1.034	1.028	1.021	1.011	.999	.985	.970	.955	.924	.893	.862	.83
Clear land-ocean	ł	1.043	1.051	1.049	1.046	1.042	1.038	1.031	1.024	1.014	1.000	.983	.965	.946	.915	.884	.853	.82
PC/ocean	1.052	1.031	1.046	1.045	1.042	1.039	1.035	1.030	1.023	1.015	1.002	.985	.967	.948	.917	.886	.855	.82
PC/land	1.046	1.040	1.040	1.039	1.037	1.035	1.032	1.027	1.021	1.013	1.001	.988	.973	.957	.926	.895	.864	.83
MC/ocean	1.041	1.040	1.010	11000			Latitude	e: 18°N	()°									
	Τ" -	1	1.051	1.050	1.050	1.046	1.042	1.035	1.027	1.016	1.000	.982	.959	.935	.904	.873	.842	.8:
Clear ocean	1.056	1.055	1.054	1.053	1	1.045	1.042	1.035	1.027	1.016	ļ	1	.960	l.	.905	.875	.844	.8:
Clear desert	1.059	1.057	1.055	1.053	1.049	1.045	1.041	1.034	1.026	1.015			.960	1	.907	.876	.845	.8
PC/ocean	1.057	1.056	1.055	1.053	1.050	1.043	1.039	1.032	1.025	1.015			.962	1	.913	.882	.851	.83
MC/ocean	1.053	1.053	1.052	1.050	1.047	1.043	1.034	1.030	1.026	1.018	1	1	.970	.953	.929	.898	.858	.8:
Overcast	1.035	1.035	1.035	1.035	1.034		Latitud		L	1.010	1.001							
			T		T					1.015	1.001	.983	.964	.943	.912	.881	.850	.8
Clear ocean	1.052	1.051	1.050	1		1.043		1.033	1.025	1			1		1	i	.859	
Clear land	1.048	1.048	1.047					1.029	1.022				1		1			
PC/ocean	1.049						1	1.030	1.023		i	1	İ					
PC/land	1.040		1				1	1	1		1	1					- 1	
MC/ocean	1.042	1	1	1		i	1	l .		1				1			Į.	
MC/land	1.043	1.043	1.043	1.043	1.042				·	1.013	.990	.301	.307	.501	.020	1.000	1,000	
						- 1	Latitud€							1	1		0.45	
Clear ocean	1.051	1.050	1.049	1.048	1.046	1.043	1.040	1	1			- 1	- 1	1	l l			
Clear land	1.038	1.037	1.038	1.037	1.035	1.032	1					1	- 1		- 1	l.		
Clear desert	1.037	1	1.037	1.036	1.034	1.031	1.029	1.025	1		1	!	ı	- 1	l l		l l	
PC/ocean	1.049	l.	1.048	1.04€	1.043	1.040	1.036	1.030			1		1			i	1	i i
PC/land	1.035		1.035	1.035	1.032	1.030	1.028	1.024			1		1			1		- 1
MC/ocean	1.035		1	1.034	1.033	1.031	1.029	1.025	1.020	1.01	3 1.003	3 .990	.97	7 .96	4 .933	.902	.871	8. 1

 $[^]a\mathrm{MC},$ mostly cloudy; PC, partly cloudy.

Table 9. Concluded

							:	Limb-da	arkenin	g mode	l for							
							View	ing zen	ith ang	le range	e, deg, d	of—			-	<u> </u>		
Scene ID							Ϊ						Γ				T	T
(a)	0-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40–45	45-50	50-55	5560	60-65	65-70	70-75	75–80	80-85	85-90
								ıde: 36			•		·			1		1
Clear ocean	1.059	1.058	1.057	1.056	1.052	1.048	1.044	1.037	1.028	1.017	1.000	.979	.957	.932	.901	.870	.839	.808
PC/ocean	1.051	1.051	1.051	1.050	1.047	1.044	1.040	1.033	1.026	1.016	1.002	.984	.963	.941	.910	.879	.848	.817
MC/ocean	1.041	1.041	1.041	1.041	1.039	1.036	1.032	1.026	1.020	1.012	1.001	.987	.972	.956	.925	.894	.863	.832
Overcast	1.016	1.016	1.017	1.017	1.016	1.014	1.013	1.009	1.006	1.001	.993	.984	.979	.981	.983	.985	.988	.991
							Latitu	ide: 54°	S-72°S	3							<u> </u>	·
Clear snow	.997	.997	1.000	1.001	1.001	1.001	1.003	1.002	1.001	1.000	.994	.988	.986	.994	1.003	1.018	1.038	1.056
MC/ocean	1.047	1.046	1.047	1.045	1.042	1.039	1.035	1.028	1.021	1.011	.998	.983	.968	.954	.923	.892	.861	.830
MC/land-ocean	1.037	1.037	1.037	1.036	1.034	1.032	1.029	1.025	1.019	1.013	1.003	.992	.978	.961	.930	.899	868	.837
Overcast	1.018	1.018	1.019	1.019	1.017	1.015	1.014	1.010	1.006	1.001	.992	.984	.979	.980	.980	.981	.983	.986
							Latitu	de: 72°	S-90°S				· · · · · · · ·					
Clear snow	.995	.994	.996	.997	.997	.998	1.001	1.001	1.001	1.000	.993	.986	.985	.997	1.009	1.030	1.057	1.083
Overcast	.992	.992	.994	.996	.995	.996	.999	.998	.998	.996	.990	.986	.988	1.003	1.017	1.039	1.068	1.095

 $[^]a\mathrm{MC},$ mostly cloudy; PC, partly cloudy.

Table 10. Mean Limb-Darkening Models for August 1985

	Average limb-darkening models for—										
	ER	BS	NOAA-9								
Viewing zenith angle		Night	Day	Night							
range, deg	Day	1.052	1.053	1.046							
0-5	1.055	1.052	1.052	1.046							
5-10	1.055	1.049	1.052	1.045							
10–15	1.053	1.048	1.050	1.044							
15–20	1.051	1.045	1.047	1.041							
20-25	1.050	1.042	1.043	1.038							
25-30	$1.045 \\ 1.039$	1.037	1.040	1.035							
30–35	1.039 1.032	1.030	1.033	1.030							
35-40	1.032	1.023	1.025	1.023							
40-45	1.015	1.014	1.015	1.014							
45-50	1.013 1.002	1.004	1.000	1.001							
50-55	0.987	0.989	0.982	0.986							
55-60	0.966	0.970	0.963	0.969							
60-65	0.940	0.944	0.945	0.951							
65-70	0.940	0.910	0.911	0.920							
70-75	0.872	0.876	0.877	0.889							
75–80	0.838	0.842	0.843	0.858							
80–85 85–90	0.805	0.809	0.809	0.827							




Figure 1. Use of along-track scanning for determining limb-darkening functions.




Figure 2. Local time-latitude coverage for ERBS and NOAA-9 for August 1985. Numbers on ERBS orbit indicate the dates of the month.




Figure 3. Limb-darkening models for clear ocean for day for ERBS.




Figure 4. Limb-darkening models for clear land for day for ERBS.




Figure 5. Limb-darkening models for clear land-ocean mix for day for ERBS.




Figure 6. Limb-darkening models for partly cloudy over ocean for day for ERBS.




Figure 7. Limb-darkening models for partly cloudy over land for day for ERBS.




Figure 8. Limb-darkening models for mostly cloudy over ocean for day for ERBS.




Figure 9. Limb-darkening models for mostly cloudy over land for day for ERBS.




Figure 10. Limb-darkening models for overcast for day for ERBS.




Figure 11. Limb-darkening models for clear ocean for night for ERBS.




Figure 12. Limb-darkening models for clear land for night for ERBS.




Figure 13. Limb-darkening models for clear desert for night for ERBS.




Figure 14. Limb-darkening models for clear land-ocean mix for night for ERBS.




Figure 15. Limb-darkening models for partly cloudy over ocean for night for ERBS.




Figure 16. Limb-darkening models for partly cloudy over land for night for ERBS.




Figure 17. Limb-darkening models for partly cloudy over land-ocean mix for night for ERBS.




Figure 18. Limb-darkening models for mostly cloudy over ocean for night for ERBS.




Figure 19. Limb-darkening models for mostly cloudy over land for night for ERBS.




Figure 20. Limb-darkening models for mostly cloudy over land-ocean mix for night ERBS.




Figure 21. Limb-darkening models for overcast for night for ERBS.




Figure 22. Limb-darkening models for clear ocean for day for NOAA-9.




Figure 23. Limb-darkening models for clear land for day for NOAA-9.




Figure 24. Limb-darkening models for clear snow for day for NOAA-9.




Figure 25. Limb-darkening models for clear desert for day for NOAA-9.




Figure 26. Limb-darkening models for clear land-ocean mix for day for NOAA-9.




Figure 27. Limb-darkening models for partly cloudy over ocean for day for NOAA-9.




Figure 28. Limb-darkening models for partly cloudy over land for day for NOAA-9.




Figure 29. Limb-darkening models for mostly cloudy over ocean for day for NOAA-9.




Figure 30. Limb-darkening models for mostly cloudy over land for day for NOAA-9.




Figure 31. Limb-darkening models for mostly cloudy over land-ocean mix for day for NOAA-9.




Figure 32. Limb-darkening models for overcast for day for NOAA-9.




Figure 33. Limb-darkening models for clean ocean for night for NOAA-9.




Figure 34. Limb-darkening models for clear land for night for NOAA-9.




Figure 35. Limb-darkening models for clear snow for night for NOAA-9.




Figure 36. Limb-darkening models for clear desert for night for NOAA-9.




Figure 37. Limb-darkening models for partly cloudy over ocean for night for NOAA-9.




Figure 38. Limb-darkening models for partly cloudy over land for night for NOAA-9.




Figure 39. Limb-darkening models for mostly cloudy over ocean for night for NOAA-9.




Figure 40. Limb-darkening models for mostly cloudy over land for night for NOAA-9.




Figure 41. Limb-darkening models for overcast for night for NOAA-9.





Figure 42. Average limb-darkening models for August 1985.

Nationa: Aeronaulics and Space Administration	Report Documentation Page				
Report No. NASA RP-1243	2. Government Accession N	lo.	Recipient's Cata	log No.	
. Title and Subtitle		5	. Report Date		
Limb-Darkening Functions as Derived From Along-Track			December 1	990	
Operation of the ERB	ugust 1985	6. Performing Orga	anization Code		
G. Louis Smith, Natividad Manalo, and Lee M. Avis			3. Performing Orga L-16779	anization Report No.	
Performing Organization Nan	oe and Address		10. Work Unit No.		
			672-40-05-7	0	
NASA Langley Research Center Hampton, VA 23665-5225			11. Contract or Gr	rant No.	
			13. Type of Repor	t and Period Covered	
2. Sponsoring Agency Name ar	and Space Administration		Reference F	Publication	
Washington, DC 2054			14. Sponsoring Ag	ency Code	
track scanning mode Earth-emitted radiati Limb-darkening mode for each spacecraft. T models have values n value of the model is 1.06 for day and 1.05 NOAA-9 results and a The models vary abor paper to NASA RP-13	Budget Satellite (ERBS) and the second which relates the radiance in the scene types were computed wear zenith of 1.02 to 1.09, with 1.06 for both day and night for night for NOAA-9. Mean rate found to differ less than 1 per ut 1 percent with latitude near 214, which reported limb-darken e scanning radiometer aboard to	yzed to produce any given direct and are shown with measurement values near 1.0 or ERBS, and models are form cent, with the Err zenith. The paing models deri	e limb-darken ection to the rate as figures for this within 10° being typicate typical valued for the ERCRBS results becresent paper:	ing models for idiant exitance. I day and night of zenith. The al. The typical lue at zenith is in its is. BS and for the eing the higher, is a companion	
17. Key Words (Suggested by A Limb-darkening func Earth-emitted radiat Satellite radiation me Earth Radiation Bud Longwave radiation	tions ion easurements	18. Distribution Sta Unclass	atement ified—Unlimit	ed	
		Su	bject Categor		
19. Security Classif. (of this rep		his page)	21. No. of Pages		
Unclassified	Unclassified		39	A03	



National Agronautics and Space Administration Code NTT-4

Washington, D.C. 20546-0001

Official Business Penalty for Private Use, \$300 BULK RATE
POSTAGE & FEES PAID
NASA
Permit No. G-27



POSTMASTER: If Undeliverable (Section 158 Posts Manual) Do Not Return